STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

Facility Information

RESULT: Satisfactory

Permit Number: 13-48-1367914
Name of Facility: Broad, Ruth K./Bay Harbor K-8 Center/ Loc.#0241
Address: 1155 93 Street
City, Zip: Bay Harbor Islands 33154

Type: School (more than 9 months)
Owner: Miami-Dade County School Board
Person In Charge: brittany phillips Phone: (786) 275-0400
PIC Email: 314502@dadeschools.net

Inspection Information

Purpose: Routine
Inspection Date: 9/10/2026
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 1
Number of Repeat Violations (1-57 R): 1
FacilityGrade: N/A
StopSale: No

Begin Time: 09:00 AM
End Time: 10:00 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION
IN 1. Demonstration of Knowledge/Training
IN 2. Certified Manager/Person in charge present
EMPLOYEE HEALTH
IN 3. Knowledge, responsibilities and reporting
IN 4. Proper use of restriction and exclusion
IN 5. Responding to vomiting & diarrheal events
GOOD HYGIENIC PRACTICES
IN 6. Proper eating, tasting, drinking, or tobacco use
IN 7. No discharge from eyes, nose, and mouth
PREVENTING CONTAMINATION BY HANDS
IN 8. Hands clean & properly washed
IN 9. No bare hand contact with RTE food
IN 10. Handwashing sinks, accessible & supplies
APPROVED SOURCE
IN 11. Food obtained from approved source
NO 12. Food received at proper temperature
IN 13. Food in good condition, safe, & unadulterated
NA 14. Shellstock tags & parasite destruction
PROTECTION FROM CONTAMINATION
IN 15. Food separated & protected; Single-use gloves
OUT 16. Food-contact surfaces; cleaned & sanitized
IN 17. Proper disposal of unsafe food
TIME/TEMPERATURE CONTROL FOR SAFETY
IN 18. Cooking time & temperatures
NO 19. Reheating procedures for hot holding
IN 20. Cooling time and temperature
NO 21. Hot holding temperatures
IN 22. Cold holding temperatures
IN 23. Date marking and disposition
NA 24. Time as PHC; procedures & records
CONSUMER ADVISORY
NA 25. Advisory for raw/undercooked food
HIGHLY SUSCEPTIBLE POPULATIONS
IN 26. Pasteurized foods used; No prohibited foods
ADDITIVES AND TOXIC SUBSTANCES
IN 27. Food additives: approved & properly used
IN 28. Toxic substances identified, stored, & used
APPROVED PROCEDURES
NA 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

Good Retail Practices

SAFE FOOD AND WATER
IN 30. Pasteurized eggs used where required
IN 31. Water & ice from approved source
NA 32. Variance obtained for special processing
FOOD TEMPERATURE CONTROL
IN 33. Proper cooling methods; adequate equipment
IN 34. Plant food properly cooked for hot holding
NO 35. Approved thawing methods
IN 36. Thermometers provided & accurate
FOOD IDENTIFICATION
IN 37. Food properly labeled; original container
PREVENTION OF FOOD CONTAMINATION
IN 38. Insects, rodents, & animals not present
IN 39. No Contamination (preparation, storage, display)
IN 40. Personal cleanliness
IN 41. Wiping cloths: properly used & stored
NO 42. Washing fruits & vegetables
PROPER USE OF UTENSILS
IN 43. In-use utensils: properly stored
IN 44. Equipment & linens: stored, dried, & handled
IN 45. Single-use/single-service articles: stored & used
NA 46. Slash resistant/cloth gloves used properly
UTENSILS, EQUIPMENT AND VENDING
OUT 47. Food & non-food contact surfaces
IN 48. Ware washing: installed, maintained, & used; test strips
IN 49. Non-food contact surfaces clean
PHYSICAL FACILITIES
IN 50. Hot & cold water available; adequate pressure
OUT 51. Plumbing installed; proper backflow devices
IN 52. Sewage & waste water properly disposed
IN 53. Toilet facilities: supplied, & cleaned
OUT 54. Garbage & refuse disposal **(R)**
OUT 55. Facilities installed, maintained, & clean
OUT 56. Ventilation & lighting **(COS)**
IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

Violations Comments

Violation #16. Food-contact surfaces; cleaned & sanitized
At the time of inspection observed at the ice machine, missing ice scoop. Provide scoop.

CODE REFERENCE: 64E-11.003(2). Food shall only contact surfaces that are clean and sanitized.

Violation #47. Food & non-food contact surfaces
At the time of inspection observed at the line refrigerator out of service (no food items). Repair, replace, refrigerator.
CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

Violation #51. Plumbing installed; proper backflow devices
At the time of inspection observed water leaking from back flow preventor at the mop sink . Repair water leak.

CODE REFERENCE: 64E-11.003(5)(c). Plumbing will be installed and maintained to comply with plumbing requirements, including backflow prevention devices. A mop sink will be provided.

Violation #54. Garbage & refuse disposal
At the time of inspection observed two dumpsters with broken surfaces. Replace dumpsters. (Repeat violation 12/19/2024, 10/22/2025, 9/10/2026)

CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.

Violation #55. Facilities installed, maintained, & clean
At the time of inspection observed at kitchen area, one light out of service. Replace light.
CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

Violation #56. Ventilation & lighting
At the time of inspection observed grease accumulation by hood system walls. Clean and sanitize Hood system. Staff cleaned and sanitized walls. COS
CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.

General Comments

Inspection satisfactory

Main kitchen

Temperatures were taken with themapen thermometer.

At the hotline:
No food items on the line

At the cold line
No food items

At the oven:
Corndogs 180 F

Handwash sink# 1 105 F.

Handwash sink #2 107 F.

Three compartments sink 115 F. Water temperature 75 F
Quat 200 ppm

Two door refrigerator #1
Ambient temperature 40 F
Milk 39 F

Milk Box #1

Inspector Signature:

Client Signature:

Milk 39 F

Walk in refrigerator.
Ambient temperature 40 F
Ham 39 F

Walk in freezer.
Ambient temperature 8 F
Fish 10 F

Mop sink 115 F.

Employee restroom 104 F

Email Address(es): 314502@dadeschools.net;
wcabrera@dadeschools.net;
mwertz@dadeschools.net;
ipalacio@dadeschools.net;
miriamg@dadeschools.net;

Inspection Conducted By: Alexander Olaya (67699)
Inspector Contact Number: Work: (305) 623-3500 ex.
Print Client Name: Brittany Phillips
Date: 9/10/2026

Inspector Signature:

Client Signature: